KECMANOVIC, Zlatimir; MILOSAVLJEVIC, Igor

hypertension (Ser))

Foster-Kennedy's pseudosyndrome. Srpski arh. celok. lek. 84 no.1:53-58 Jan 56.

1. Klinika za ocne bolesti Medicinskog fakulteta u Beogradu. Upravnik: akademik prof. dr. Djordje Mesic. Neuropsihijatriska klinika Medicinskog fakulteta u Beogradu. Upravnik: prof. dr. Uros Jekic.

(ARTERIOSCLEHOSIS, compl.
hypertension, simulating Kennedy's synd. (Ser))
(HYPERTENSION, compl.
arteriosclerosis, simulating Kennedy's synd. (Ser))
(MERVES, OPTIC, dis.
Kennedy's synd. simulated by arteriosclerosis with

MILOSAVLJEVIC, Igor; STANKOVIC, Ivan

Significance of papillary edema of optic nerve in diagnosis and prognosis of closed craniocerebral injuries. Srpski arh. celok. lek. 85 no.3: 314-318 Mar 57.

1. Neuropsihijatriska klinika Medicinskog fakulteta u Beogradu. Upravnik: prof. dr. Uros Jekic. Klinika sa ocne bolesti Medicinskog fakulteta u Beogradu. Upravnik: prof. dr. Vladimir Cavka.

(BRAIN, wds. & inj. causing papilledema (Ser)) (NERVES, OPTIC, dis.

papilledema caused by brain inj. (Ser))

GOSPAVIC, Jelena; MILOSAVLJEVIC, Igor

Refraction nystagmus. Srpski arh. celok. lek. 88 no.11:1097-1103 N 160.

1. Neuropsihijatrijska klinika Medicinskog fakulteta Univerziteta u Beogradu. Upravnik: prof. dr Uros Jekic.

(MYSTAGMUS) (BRAIN NEOPLASMS diag)

"APPROVED FOR RELEASE: Monday, July 31, 2000 CIA-RDP86-00513R001134320

·	vīc, J.				
				The second secon	ď
	Distr	r: 4E20			
			some other rare metals their tetralodides on 1st. min. sirovine, Belgr de) 14, 1931-40(1959), processes are reviewed. N. Plant	by p. rege(10) hot p. rege(36) ade p. rege (26) -U, p. rege (27) 36	
	eut				
━━ コー・・・・ もい もっぱん ぶゃね ぬいか んしゅん でんき コンチャムヤ		10 miles (10 miles) (1	the Property		

MILOSAVIJEVIC, Z., dr.; TERZIC, Lj., dr.; MILOSAVIJEVIC, J., dr.

Presentation of a case of acute lesions in a caisson worker. Glas. hig. inst. 10 no.3/4:25-28 J1-D *61.

1. Dispanzer za medicinu rada - Novi Sad.

(DECOMPRESSION SICKNESS case reports)

4

MILOSAVIJEVIC, Jevan, ing., strucni saradnik. (Beograd, Bulevar revolucije 38)

The newest United States uranium processing plant at Weldon Spring, eperated by the Mallinckrodt Chemical Werks. Tehnika Jug 16 no.11: 1962-1968 '61.

1. Institute for the Mineral Raw Material Technology, Beograd.

YUGOS LAVIA

MILOSAVLIEVIC, J., Z. MILOSAVLJEVIC, and Lj. PETROVIC, Labor Medicine Dispensary (Dispanzer za Medicinu Rada) and Medical Research Institute of the Vojvodina (Institut za Medicinska Istrazivanja APV), Novi Sad.

"A Contribution to Laboratory and Experimental Research into the Caisson Syndrome."

Belgrade, Glasnik Zavoda za Zdravstvenu Zastitu NK Srbije, Vol 11, Nos 3-4, 1902, pp 45-50.

Abstract: /Authors' English summary modified There was a significant difference in the increase in the number of thrombocytes in workers who had been been working in the field of caissons at least one year and in workers elsewhere employed. No data of importance were derived from other laboratory analysis. Tests on rabbits were insufficient for definite conclusions. The authors advise a thrombocyte count during the periodic checkups of caisson workers. Four tables, Western references.

EWP(t /ETI TJP(c) JD/JO L 08252-67 AP603280, (N) SOURCE CODE: YU/0001/66/000/009/1530/1536 40 37 AUTHOR: Jovanovic, Dura (Graduate physicist; Graduate chemist; Advisor; Belgrade); Milosavljevic, Jovan (Graduate technical engineer; Advisor) 17 ORG: Institute for Nuclear Raw Materials, Belgrade (Zavod za nuklearne sirovine) TITLE: Description of ammonium-diuranate produced in the pilot plant at Kalna SOURCE: Tehnika, no. 9, 1966, 1530-1536 TOPIC TAGS: ammonium compound, ammonium diuranate, thermal decomposition, thermogravimetric analysis, uranium compound, x ray diffraction analysis, differential thermal analysis, chemical analysis/ADU-Kalna ABSTRACT: The thermal decomposition of ammonium-diuranate (ADU) was investigated using thermogravimetric analysis (TGA) in the 20-900-C range. All the TGA experiments were carried out on a Stanton thermobalance having + 0.0001-g sensitivity. It was found that by continuous heating from 20 to 120C at a rate of 5 C/min, ADU loses moisture. Crystalline water loss takes place at 120-200C. Gaseous ammonia evolution begins at 270C and ceases at 450C. A plateau from 450 to 570C and a negligible loss of weight is characteristic of pure uranium trioxide. UDC: 669, 822, 334(497, 11) = 861 1/2

ACC NR. AP6032805 Further loss of oxygen according to the reaction UO₃ → U₃08 takes place at 570—675C. No change in weight was noticed at 675—900C. Chemical analysis, differential thermal analysis, and x-ray diffraction were used for correct determination of ADU composition. It was concluded that ADU-Kalna has the following composition (NH₂00.4UO₃, 7H₂O (70-80%) and UO₃, nH₂O (20-30%). In addition, the kinetics of the chemical processes taking place during thermal decomposition was also interpreted mathematically. Orig. art. has: 10 figures, 2 tables, and 4 formulas. [Authors' abstract] SUB CODE: 07/ SUBM DATE: none/ ORIG REF: 003/ OTH REF: 010/

MILOSAVLJEVIC, KATARINA

Yugoslavia (430)

Science

Intenzitet pljuskova u Beogradu, Vrnjackoj Banji i Prilepu. Beograd Naucna knjiga 1952. 44 p. (Srpska akademija nauka. Posebna izdanja, knj. 194. Hidrotehnicki institut, knj. 1) Intensity of showers in Belgrade, Vrnjacka Banja in Serbia, and Prilep in Macedonia. French summary. Bibl., graphs

East European Accessions List, Library of Congress, Vol 2, No 4, April 1953. UNCLASSIFIED

MILOSAVLJEVIC, K.

"Maximum And Minimum Air Temperatures In Belgrade Between 1887 and 1950" p. 90. (Arhiv Za Poljoprivredne Nauke, Vol. 5, no. 8, 1952, Beograd.)

So: Monthly List of Manual Accessions, Library of Congress, February, 1954 1953, Uncl.

TLOSAVIJUNIC, E.

Classification of winters in Bolgrade for the period 1887-1955. p. 60. (GLASHIE, Vol. 11, No. 11, 1956 (Published 1957)

SC: Monthly List of East European Accessions (EEAL) LC, Vol. 6, No. 12, Dec. 1957 Uncl.

MILOSAVLJEVIC, Katarina (Beograd)

Intensity of showers on the profile Zemun Polje-Novi Belgrade-Belgrade.

Vodoprivreda Jug 2 no.6:59-79 *59. (EEAI 9:10)

(Serbia--Rain and rainfall)

(Belgrade--Climate)

KOSANOVIC, Duro, inz., saradnik (Kosmajska 53, Beograd); MILOSAVLJEVIC, Lazar, inz., saradnik; EHEL, Franjo, dipl. fiz. hem., saradnik

Determining molecular weight of polymethylmethacrylate by viscometric method. Tehnika Jug 17 no.6:Suppl.: Hemindustrija 16 no.6:1159-1165 Je '62.

l. Razvojna laboratorija za naucna istrazivanja u organskoj i farmaceutskoj hemiji "Galenika," Beograd-Zemun.

MILOJAVIJEVIC, LJ.

Man as a factor in industry, and influence of environment on the increase of productivity.

2. 236 (TEKSTIINA INDUSTRIJA) (Reograd, Yugoslavia) Vol. h, no. 6/7, June/July 1956

50: Monthly Index of East European Accessions (EEAI) LC Vol. 7, No. 5. 1950

MILOSAVIJEVIC, IJ.

"Dyeing with neolan dyes"

p. 322 (Tekstilna Industrija) Vol. 4, no. 9, Sept. 1956 Belgrade, Yugoslavia

SO: Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 4, April 1958

BOGDANOVIC,M.; MILOSAVLJEVIC, M.

Stimulative effect of the peat and lignite humic acids on the striking of vine grafts. Zemljiste biljka 11 no.1/3:325-328 *62.

1. Poljoprivredni fakultet, Zemun.

MILOSAVIJEVIC, M.

Foliar absorption of phosphorus (32p) by some species and varieties of grapevines. Zemljiste biljka 11 no.1/3:533-538 *62.

l. Institut za primenu nuklearne energije u poljoprivredi, veterinarstvu i sumarstvu, Beograd.

MILOSAVLJEVIC, MARKO

Yugoslavia (430)

Science

Fizicke osobine vetrova u Beogradu.
Beograd, 1950. 67 p. (The physical characteristics of the winds in Belgrade,
Summary in French. Bibl., graphs).


East European Accessions List. Library of Congress, Vol 1, No 13, November 1952. UNCLASSIFIED

MILOSLVALJEVIC, MARKO

Mary hope.

Motoorelogical Abst. Vol. 4 No. 10 October 1953 Part 1 Radiation and Temperature *Miloslvaljevic, Marko, Odnos između minimalne temperature na 2 metra i na 5 cm iznad zemlje u Beogradu. [Relation between minimum temperature at 2 m and at 5 cm above the ground at Belgrade.] Srpsko Geografsko Druchstvo, Belgrade, Glasnik, 30(1):11-25, 1950. In Serbian, French summary p. 24-25. DLC—In addition to shelter 2 figs., 10 tables, 4 refs. In Serbian, French summary p. 24-25. DLC—In addition to shelter temperature at 2 m above the ground, temperatures at 5 cm and on the grass have been recorded at Belgrade since 1944. The 3 temperatures (To, 1, and 1) and the differences (\Delta 1 \Delta 1

"APPROVED FOR RELEASE: Monday, July 31, 2000 CIA-RDP86-00513R001134320



MILOSAVIJEVIC, N.

Some experiences in the application of synthetic phytohormones in the production of grapevine seedlings.

p. 15 (Poljoprivreda. Vol. 4, no. 6, June 1956. Beograd, Yugoslavia)

Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 2, February 1958

MILOSAVLJEVIC, M.

Natural condition for the cultivation of table grapes in Serbia. P 30

POLJOPRIVREDA. (Drustvo podjoprivrednih inzenjera i technicara Srbije) Beograd, Yugoslavia Vol. 6, no. 4, Apr. 1958

Monthly List of East European Accessions (EEAI) LC. vol. 8, no. 9, Sept. 1959

Uncl.

```
The method of forecasting the yield of vineyards. p. 33.

POLICIPATUREDA. (Drustvo poljoprivrednih inzenjera i tehnicara Srbija)
Beograd, Yugoslavia
Vol. 6, no. 6/7, June/July 1958

Monthly list of Eastern European Accession Index (EVAI) LC vol. 8, No. 11
November 1959
Uncl.
```

MILOSAVLJEVIC, Marko, dr., profesor universiteta (Beograd);
TODOROVIC, Natalija, asistent universiteta (Beograd)

Climate of South Banat. Zber prir Mat srp no.20:34-63 161.

1. eli939-65 PCC

ACCESSION NR: AP5023661

10/0033/64/000/005/0281/0287

AUTHOR: Milosavljevic, Marko (Doctor, Professor) (Belgrade); Stanojevic, Stanoje Editor, Stanojevic, Stanoje Editor, Stanojevic, Stanojevi

TITLE: Incidence of thunderstorms with hail in the vineyard districts around Vrsac, Yugoslavia

SOURCE: Idojaras, no. 5, 1964, 281-287

TOPIC TAGS: meteorology, hail, storm, climatic condition, climatology, magnetic storm, meteorologic observation

ABSTRACT: [German article] The wine-growing areas discussed in this article comprise approximately 4400 hectares and incorporate the lower slopes (up to altitudes of 300 m.) of the Vrsac mountains. The instances of thunderstorm with hail were tabulated for the 1948-1961 period and correlated with other meteorological phenomena. In most instances, heavy hail was evident when cold, humid air penetrated the area from the North-East, especially if it stagnates before reaching the Vrsac mountains.

Orig. Art. Incl.: 3 figures and 1 table.

1/2

"APPROVED FOR RELEASE: Monday, July 31, 2000 CIA-RDP86-00513R001134320

	ACCERCION	ACCESSION NR: AP5023661.								
	ASSOCIATION: Agrar-Universitat, Belgrade (Agriculture University) 44.35									
	SUBMITTED		ar-Universi	tat, be.		00 V	SUB CODE:	ES	i i	
	NR REF SO	71 002			OTHER:	004	JPRS		:	
1 THE	2000年1966	rederen Se en		*. +* §	e Finance	•			;	
	Company.	ক। ক্ষেত্ৰকৈ হ'ব হৈছিল। বিশ্বস্থানিক	en geograpischen er Notes		Awarana a	* :	ta jewi		: <u>*</u> :	
						e da esta esta esta esta esta esta esta est			; }	
,			• /						• *	
	KC 2/2				4.4 7.5	•				

L-00287-66, EMU(v)

ACCESSION NR: AP\$023859

AUTHOR: Milosavljevic. M. (Doctor, Professor) (Belgrade); Katic, P. (Graduate meteorologist, Staff scientist) (Novi Sad)

TITLE: Intensity of global sunshine on maize plantations of various densities SOURCE: Idojares, no. 6, 1964, 343-348

TOPIC TAGS: agriculture crop, agronomy, solar radiation intensity, agriculture

ABSTRACT: The values of global solar irradiation were measured during two growing season over plantations of maize in Rimski Sancevi (near Novi Sad, Yugoslavia) of different densities. Optimum planting density was, according to the findings, a 100 cm. distance between rows and a 40 cm. distance between plants with two stems per nest; the least favorable density was a 50 cm. distance between rows and a 30 cm. distance between plants with one stem per nest. The selenium-photocell based radiation sensors were located 25 and 100 cm. above the ground level.

Orig. Art. Incl. 3 figures, 1 graph, and 2 tables.

Card 1/2

game of the control o				
L 00287-66 ACCESSION NR: AP5023859				6
ASSOCIATION: Kilomavljevic-Katic-Forschungsinstitut fur	Agraruniversi Landwirtschs	tat, Belgrade (A	gricultural Universerch Institute	rsity);
Agriculture)				
SUBSCITED: 00	ENGL: 0	0	SUB CODE: LS,	AA
NR REF SOV: COO	OTHER:	003	JPRS	
Land Control of the C				
· 400)				

MILOSAVIJEVIC, Marko, dr. prof. unimersiteta (Beograd)

Anomalies in the occurrence of spring frosts in Serbia. Zbor prir Mat srp 25:5-14 *63

MILOSAVLJEVIC, Milica; DAMANSKI, A.F.

Behavior of Leascorbic acid in solution. Pt. 2. Glas Hem dr 27 no.5/6:321-325 *62.


1. Institute for Chemistry, Technology and Metallurgy, Beograd.

MILOSAVLITATIC, Milivoje

Building industry of Western Germany in 1961. Tehnika Jug 17 no.4:664-668 Ap '62.

"APPROVED FOR RELEASE: Monday, July 31, 2000

CIA-RDP86-00513R001134320



"APPROVED FOR RELEASE: Monday, July 31, 2000 CIA-RDP86-00513R001134320

Source: Mathematical Reviews, Vol 11. No. 7

MILOSAVLJEVIC, MIODRAG: Stability of Rectangular Plates Reinforced by Stretchers

"APPROVED FOR RELEASE: Monday, July 31, 2000 CIA-RDP86-00513R001134320

MILOSAVLJEVIC, Mlodrag Milosavljević, Miodrag. Ein Beitrag zur Stabilität der gleichmässig gedrückten Rechteckplatte mit Steifen-kreuz. Acad. Serbe Sci. Publ. Inst. Math. 5, 109-114 (1953).In dieser Arbeit wird die Knickbedingung für eine gedrückte dünne Platte, durch eine in beliebiger Lage rechtwinklige Aussteilung verstärkt, mit Hille der Differentialgleichung der ausgebeulten Platte aufgestellt, wobei die Mathematical Reviews Annahme gemacht wird, dass die in der Druckrichtung verlaufende Steife ebenfalls Druckkräfte überträgt. Die May 1954 Knickbedingung stimmt der von H. Fröhlich [Bauingenieur Mechanics 18, 673-682 (1937)] auf Grund der energetischen Methode aufgestellten Bedingung vollkommen überein. Das Problem wurde allgemeiner von A. Strasser in der oben referierten Arbeit gelöst. R. Gran Olsson (Trondheim).

MILOSAVLJEVIC, M.

TECHNOLOGY

Periodical: ZBORNIK. No. 3, 1958.

MILOSAVLJEVIC, M. Development of the technique of the construction of steel bridges in Serbia. p. 1.

Monthly List of East European Accessions (EEAI) LC, vol. 8, no. 3
March 1959 Unclass.

MILOSAVLJEVIC, M.

Development of the technique of design and construction of steel bridges in practice and in schools in Serbia, p. 556.

TEHNIKA (Savez inzenjera i tehicara Jugoslavije) Beograd, Yugoslavia. Vol. 14, no. 4, Apr. 1959

Monthly List of East European Accession EEAI LC, Vol. 8, no. 6, June 1959 Uncla.

RADOJKOVIC, Milan, prof.; MILOSAVLJEVIC, Miodrag, asistent

Pressure distribuition in the junctions of the plates of the new bridge over the Danube near Belgrade. Zbor grad Univ Beograd 5 221-236 '62.

1. Gradevinski Fakultet, Beograd.

MILOSAVIJEVIC, Pesar; MARKOVIC, Milan

The place of tuberculosis in psychiatry. Srpski arh. celok. lek. 93 no.2:131-141 F '65

1. Psihijatrijska bolnitsa u Beogradu (Upravnik: prim. dr. Stevan Jovanovic).

MILOSAVIJEVIC, Petar

Observations in the role of colibacillary infection in pathogenesis of the psychoses. Srp arhiv lekar 82 no.2:173-179 F 154. (EEAL 3:7)

1. Drzavna bolnica za dusevne bolesti u Beogradu (upravnik: dr. Steva Jovanovic, sef odeljenja: dr. Madezda Jevic)

(PSYCHOSES, etiol. & pathogen.

*E. coli infect.)

(ESCHERICHIA COLI, infect.

*in pathogen. of psychoses)

MILOSAVIJEVIC, P.

Tuberculosis and psychic disorders. Srpski arh.celok.lek. 83 no.2:161-173 Feb. '55.

1. Drzavna bolnica za dusevne bolesti u Beogradu, Upravnik:
Dr. Stevan Jovanovic. Sef.odelenja: dr. Madezda Jevtic.

(MENTAL DISORDERS, compl.
pulm. tuberc. (Ser))

(TUBERCULOSIS, PULMONARY, compl.
psychic disord.(Ser))

NEDELJEOVIC, Srecko; MILOSAVLJEVIC, Peter

Myocardial infarct with psychic disorders. Srpski arh. celok. lek. 84 no.10:1191-1196 Oct 56.

1. III i IV Interna klinika Medicinskog fakulteta u Beogradu Upravnik: prof. dr. Radivoje Berovic. Neuropsihijatriska klinika Medic. fakulteta u Beogradu. Upravnik: prof. dr. Uros Jekic. (MYOCARDIAL INFARCT, compl.

Korsakov's psychosis (Ser))
(PSYCHOSIS, ALCOHOLIC, etiol. & pathogen.
myocardial infarct causing Korsakov's synd. (Ser))

- BURIJAN, Jovan; MILOSAVIJEVIC, Petar

On 2 cases of malarial psychoses. Srpski arh. celok. lek. 88 no.2:203-209 7 '60.

1. Psihijatriska bolnica u Beogradu, Upravnik: pris. dr. Stevan
Jovanovic i. Interna klinika A medicinskog fakulteta universiteta
u Beogradu, Upravnik: prof. dr. Branislav Stanojevic.

(MAIARIA compl.)

(MEUROLOGICAL MANIFESTATIONS)

MILOSAVLJEVIC, P.

Character psychoneuroses from the viewpoint of forensic pshcylatry. Neuropsihijatrija 9 no.2/3:117-126 161.

1. Psihijatrijska bolnica u Beogradu (Upravnik: Prim. dr. Stevan Jovanovic).

(NEUROSES jurisprudence)

YUGOSLAVIA

Ferar MILOSAVIJEVIC, Psychiatric Hospital (Psibijatrijska bolnica) Read (Upravnik) Primerius Dr Steven JOVANOVIC, Beigrade.

"Establishment of the Mental Hospital in Belgrade and its First Physicians."

Belgrade, Srpski A, hiv za Celokupno Legatvo, Vol 90, No 11, Nov 62; 1119-1126

Abstract: A good review of the development of Serbian psychiatry in Euleral from its beginning in the 1860s. Biographical and anadottal data on the 4 medical directors of the Belgrade Psychiatric Hospital and related data. Eight Yugoslav references.

- END -

21/94, 2568 030: 2000-N

29

L 61662-65 ACCESSION NR: AP5023190

YU/0015/64/000/012/0422/0426

AUTHOR: Popovic, M. (Doctor); Petrovic, D. (Doctor); Antonijevic, M. (Doctor); O Milosavljevic, P. (Doctor); Jojic, M. (Doctor); Eric, Lj. (Doctor); Mehle, M. (Doctor)

TITLE: Some problems of group psychotherapy in the treatment of hospitalized psychiatric patients

SOURCE: Medicinski glasnik, no. 12, 1964, 422-426

TOPIC TAGS: psychology, applied psychology, psychoneurotic disorder

ABSTRACT: Data from 18 months' study with group psychotherapy in this psychiatric hospital involving 12 groups of patients so treated, including 207 psychotics, primarily schizophrenic patients (145 of latter), 140 neurotic patients (105 alcoholics and 33 psychopathic personalities). The structure of the group is discussed as is the method of group work, some special aspects of meauthors' group, group psychotherapy for psychotics, indications and contraindications, and cooperation with other medical personnel. The meetings were held twice weekly and the patients were kept in any of the treated groups on an average of 67 days. Initially the intent was mainly to give some support and social stimulus to the patients; later more ambitious aims were included. 16 Western references.

"APPROVED FOR RELEASE: Monday, July 31, 2000 CIA-RDP86-00513R001134320

	antaria da mara de esta par esperante finida de trata de la definida de la definida de la definida de la desta Esta al como de la definida de la d Esta de la definida	angan mengan sebagai kebahan dan kebah Beraham	 (4) (4) (4) (4) (4) (4) (4) (4) (4) (4)	
L 64662-65				
ACCESSION NRI AP5023190		The second secon		
ASSOCIATION: Zavod za manta:			O	
ASSOCIATION: Zavod za menta	mo sousarle, pergrade (Ne	ntal Hospital)	1	
SUBMITTED: 00	ENGL: 00	SUB CODE: LS		
HR REF SOV: OCO	OTHER: 017			
自食素 操作的 人名英格兰 医皮肤	Vinna UI	JPR8		
		7. m 1. m 14. m		
		-		
된 - 10 : 10 : 10 : 10 : 10 : 10 : 10 : 10				
		a. e.		
1 292				
Card 2/2				
	在2000年的1900年的新疆。 1900年的1900年的新疆			

YUGOSLAVIA

MORIC-PETROVIC, Docent Dr. Slavka; and MILOSAVLJEVIC, Dr. Petar, Institute for Mental Health (Zavod za mentalno zdravlje) Director: Docent Dr. MORIC-PETROVIC, Belgrade

"Alcoholism in Families of Schizophrenic Patients"

Belgrade, Medicinski Glasnik, Vol 20, No 5-6, May-June 1966, p. 189-191

Abstract [English summary modified]: Among 146 schizophrenic patients, 53 gave a history of familiar alcoholism, 37 in direct ancestors. This is far greater then could be explained on a chance basis. Author suggests that both are manifestations of the same genetic fault. 2 tables; 1 Yugoslav, 5 Western references.

1/1

MILOSAVLJEVIC, Petar, inz.

Opportunities of the new railroad timetable. Medun transp 8 no.5:339-342 My 162.

SUPICA, B.; MILOSAVLJEVIC, Peter, inz.

100

Railroad transpert. Medun transp 9 no.4:244-247 Ap 163.

MILOSAVLJEVIC, Petar, inz.

Main features of the draft of the new railroad timetable. Medun transp 9 no.6:415-416 Je '63.

YUGOSLAVIA / General and Special Zoology. Insects.
Insect and Mite Pests.

P

Abs Jour: Ref Zhur-Biol., No 12, 1958, 54339.

Author : Milosavljevich, Ratibor.

Inst : Not given.

Title : Aerial Spraying Against the Forest Pests in the

USA and Canada.

Orig Pub: Shumarstvo, 1955, 8, No 12, 776-783.

Abstract: The destruction of tree pests by means of aerial spraying has assumed great significance in the USA and in Canada, where during the past 15 years up to 0.7 million ha. were treated from the air against such pests as the spruce bugworm, gypsy moth, hemlock borer, Douglas fir tussock-moth, pine-saw fly (Diprion pini), the spittle bug Aphro [? (Aphrophora?)] saratogensis and others. In addition to the

Card 1/3

YUGOSLAVIA / General and Special Zoology. Insects.
Insect and Mite Pests.

P

Abs Jour: Ref Zhur-Biol., No 12, 1958, 54339.

Abstract: single engine Sturman biplane (450 h.p.) with a tank of 400-570 liter capacity, having excellent manoeuvarability and a speed of 130 km per hour, two-engine airplanes with the insecticide capacity of 4000 liters and an average speed of 240 km per hour are also used. Sometimes even four-engine bombers modified for spraying are utilized. Helicopters were not widely used. The spraying is usually carried out from a height of about 15 m. with the wind not exceeding 2.4 m per second, and in the absence of updrafts. The expenditure of insecticides is 9.5 l/ha. A boom with nozzle on the lower wing provides droplets of liquid insecticide measuring 100-300 \(\mu_c\). The insecticide most frequently used is a 6-12% oil solution of DDT (45.5 kg are dissolved in 95 liters of xylol, and motor.

Card 2/3

26

YUGOSLAVIA / General and Special Zoology. Insects.
Insect and Mite Pests.

P

Abs Jour: Ref Zhur-Biol., No 12, 1958, 54339.

Abstract: oil is then added to this solution to bring it to the volume of 190 or 380 liters). The aerial spraying of the forest areas is usually carried out by a pair of airplanes which makes for easier signalling and greater safety. The flying personnel undergo special training. The quality of piloting is such that in 1953 a second spraying had to be made on only 2% of the treated area. The organization of exterminating measures in the forests in Canada is the duty of forestry agencies which are contracted to perform this work and enlist industrial lumber concerns to participate in the expenses along with partial participation of the forest land owners. — V. L. Tsiopkalo.

Card 3/3

MILOSAVLJEVIC, R.

The use of DDT spread from the air to fight caterpillars in the USA. p. 27. (HEMIZACIJA POLJOPRIVREDE. JOUHNAL OF FERTILIZERS AND CHOP PROTECTION. No. 2, 1956. Yugoslavia.)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, no. 7, July 1957. Uncl.

MILOSAVLJEVIC, R.

A conference on the problem of using sirplenes to fight caterpillars. p. 30. (HEMIZACIJA POLJOPRIVREDE. JOURNAL OF FERTILIZERS AND CROP PROTECTION. No. 2, 1956. Yugoslavia.)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, no. 7, July 1957. Uncl.

CIA-RDP86-00513R001134320(APPROVED FOR RELEASE: Monday, July 31, 2000

MILOSAVIJEVIC, R.

First trials in spraying artificial fertilizers from an airplane in our country. p. 35. (GLASNIK, No. 3, 1956 (Published 1957)

SO: Monthly List of East European Accessions (EEAL) LC Vol. 6, No. 12, Dec. 1957 Uncl.

MILOSAVLJEVIC, Ratibor, inz.

Means for plant protection, and equipment for their application from the air. Kem ind ll no.ll:649-651 N '62.

1. Jugoslovenski aero-transport, Privredna avijacija, Beograd.

MILOSAVIJEVIC, Ratibor, inz.

Application of mineral fertilizers from the air. Kem ind 12 no.3:183-185 Mr '63.

1. JAT, Privredna avijacija, Beograd.

PHASE I BOOK EXPLOITATION POL/5981

Symposium on Electroacountic Transducors. Krynica, 1958

Proceedings of the Symposium on Electroacountic Transducors [hold in] Krynica, 17-26 Soptember, 1956. Warsaw, Panntucou Vydawnictwo Naukowe, 1961. 442 p. Errata slip inserted. 630 copies printed.

Sponsoring Agoncy: Polish Academy of Sciences. Institute of Basic Technical Problems.

Ed. in Chief: Januaz Kacprowski, Doctor of Sciences; Editing Committee: Ignacy Malecki, Professor, Doctor of Sciences; Mincomty Pajewski, Doctor; and Jorzy Wohr, Manter of Sciences; Socretary: Juliusz Hierzejewski.

PURPOSS: This book is intended for physicists and acoustical engineers.

COVERAGE: The book is a colloction of dotalled research papers constituting the proceedings of a conference held in Krynica from 17 to 26 September 1958 under the auspices of the Insultute of Technical Problems, Polish Academy of Sciences.

Card 1/8



Symposium on Electroacoustic Transducers

POL/5981

The following basic problems are treated: 1) theoretical research on energy transformation processes; 2) experimental development of new types of transducers; 3) electroacoustic measurements; 4) technology of piezoelectric and magnetostrictive materials; 5) construction of transducers for technical needs; and 6) design of acoustical transducer systems. No personalities are mentioned. References (if any)follow the individual articles.

TABLE OF CONTENTS:

Preface

Problems of Research Work on Electroacoustic Transducers. Ignacy Malecki,
President of the Conference

Ch. 1. General Problems and Theory of Electroacoustic Transducers

1. Glassification of electromechanical transformation methods in the light of the tasks faced which in [sic] the design and construction of electroacoustic equipment. V. S. Grigor'yev

7

Card 2/8

. 3.	ium on Electroacoustic Transducers FOL/5981 Design and Properties of Electroacoustic Transducers Intermodulation distortion des	
28. 29.	Intermodulation distortion in loudspeakers. Joseph Merhaut On the behavior of second-order gradient microphones in the near field. Carl Feik	275
30.	Cortain problems of loudspeakers in storeophony and pseudo- storeophony. Waclaw Koltenski	431.
31.	Possibilities of transaction the	ဦးမှရ
32.	Methods for mechanical damping of dynamic loudspeakers. Zoltan Barat application of normal anti-state application and normal anti-state application and normal anti-state application and normal anti-state application and normal anti-state and normal anti	30 <u>f</u>
33.	Combined electroscountic transfers	31,3
34.	teristic rotating azimuthally. Jerzy K. Skrzela Experimental research on the radial ultrasonic field of the cylindrical barium titanate transducer. T. Tarnoczy and A. Illenyi	327
35.	Construction of up-to-date electroacoustic transducers. Stevan Milosavljevic	337
4 6/6		345

MILOSAVLJEVIC, S.

SUICIAME (in caps); Civen Names

Country: Yugoslavia

Academic Degrees: /not given/

Affiliation: /not given/

Source: Belgrade, Veterinarski glasnik, No 4, 1961, pp 285-288.

Data: "Examination of Fattening Capabillity of Pigs."

Authors:

MILOSAVLJEVIO, 8.

337

MILOSAVLJEVIC, S. Justified (in cops); Given Hamos Country: Yugoslavia Anademic Degrees: /not given / Application: Inot given f Doures: Balgrade, Votorinevelt elecation, No 7, 1961, pp 569-573. Data: "Ago Dotormination of the Native Simenthals from Changes in Horns." PALEG. D. ITLOSAVEJEVIO, S.

MILLOSAVLUE VIC,

SURNAME (in caps); Given Names

Country: Yugoslavia

Academic Degrees: / not given /

Affiliation: /not given

Source: Belgrade, Veterinarski glasnik, No 9, 1961, pp 739-744.

"Estimation of the Age of Native Simenthal Cattle from the Changes in Incisors." Data:

Authors:

MILOSAVLJEVIO, S. PALIO, D.

YUGOSLAVIA

B. SOVLJANSKI and S. MILOSAVLJEVIC [Affiliation not given.]

"Role of Squeezing by Sow on Losses of Suckling Piglets."

Belgrade, Veterinarski Glasnik, Vol 17, No 4, 1963; pp 355-360.

Abstract: Review of literature and own data on mortality of suckling piglets and detailed description of various devices to protect them from being inadvertently squeezed to death by sow; special boxes, pens with inclined floors and similar. Table, 2 photographs and 2 drawings; 6 Western and 2 Yugoslav (including thesis) references.

1/

11/1

YUGOSLAVIA

SOVLJANSKI, B., Dr., Assistant; MILOSAVLJEVIĆ, S., Dr., Professor; PAVLOVIĆ, S., Dr., Professor; Institute of Preventive Veterinary Medicine, Faculty of Veterinary Medicine, Bolgrade

"Variations in Body Temperature of the Surviving and Dead Young Pigs During Investigation of Thermoregulation"

Belgrade, Veterinarski Glasnik, Vol 20, No 9, 1966, pp 653-658

Abstract: This is a comparative study of the body temperature during the first ten days of life of those newly born piglets which survived the period end those which died during the first ten days of life. Data refer to 99 offspring of the great white English breed of pigs. The temperature of the surviving enimals fell only during the first hour following the birth, and then rose constantly until thermoregulation was established. In those which died, the temperature drop was much larger, it took up to 12 hours for it to rise again, and then continued to fluctuate between 36.10 and 37.34 °C. Comprehensive statistical data are presented in tabular form. There are 10 Yugoslav and 8 Western references. (Manuscript received, 24 Jun 66.)

1/1

- 66 -

HENEHERG, Dorde, sanitetski pukovnik docent dr.; MORELJ, Marjan, generalmajor sanitetske sluzbe profesor dr.; MITIC, Aleksandar, sanitetski
pukovnik dr.; MARINCEVIC, Predrag, sanitetski pukovnik dr.; KOSTIC,
Dobrivoj, sanitetski kapetan I klase dr.; MILOSAVLJEVIC, Zivadin,
sanitetski kapetan dr.; JOKSIMOVIC, Petar, sanitetski porucnik dr.;
MILOSAVLJEVIC, Toma, sanitetski porucnik dr.

Controlled field experiment of chemoprophylaxis against influenza by flumidin in a unit of the Yugoslav People's Army. Vojnosanit. pregl. 22 no.12:754-757 D '65.


1. Vojnomedicinska akademija u Beogradu; Higijenski zavod; Klinika za uho-grlo-nos.

MILOSAVLJEVICIV

My

Modifications of the level of glutathione in the blood of adrenaisectomized rate and in rate with grafts of adrenal tissue in the eye. V. Arnovljevič, V. Milosavljevič, M. Anaf, and X. Chahovič. Bull. acad. serve vol. 11, No. 2, 9(1954); Excerpta Med., Sect. 11, 9, 1958)—Adrenalectomy resulted in a decrease of reduced glutathione (I) in the blood of rate the first few days after the operation. After 5-8 days a rise of I set in, which eventually stopped at the normal level. At the same time the I content of the liver, after an initial slight rise, fell rapidly, while the general state of the animal deteriorated. When adrenal tissue was implanted into the eye of the animal, the blood level of reduced I remained normal for several months and the total I was found to be even higher than in normal animals.

"APPROVED FOR RELEASE: Monday, July 31, 2000 CIA-RDP86-00513R001134320



ARNOVLJEVITCH, V.; CHAHOVITCH, I.; MILOSAVLJEVITCH, V.

Inhibiting effect of adrenalectomy on alloxan hyperglycemia. Bull.
Adad.serbe sc., classe med. 11 no.2:35-36 1954.

(DIAMTER MELLITUS, experimental,
eff. of adrenalectomy)

(ADMERAL GLANDS, effect of excision,
on alloxan diabetes)

```
ARMOVIJEVITCH, V.; CHAHOVITCH, X.; ANAF, M.; MILOSAVIJEVITCH, V.

Effect of adrenal grafts in the anterior chamber of the eye on alloxan hyperglycenia in rats.Bull.Acad.serbe sc., classe med. 11 no.2:39 1954.

(ADERGAL GIANDS, transplantation, eff. on alloxan diabetes of adrenal implants in eye in rats)

(DIABETES MELLITUS, experimental, eff. of adrenal implants in eye in rats)

(ETE, physiology, eff. of adrenal implants on alloxan diabetes in rats)
```

ARNOVLJEVITCH, V.; CHAHOVITCH, X.; MILOSAVLEJEVITCH, V.

Studies on physiopathology of hypothermia in homotherms; effect of deep hyoothermia on alloxan hyperglycemia. Bull.Acad.serbe sc., classe med. 11 no.2:40-41 1954.

(DIABETES MELLITUS, experimental, eff. of hypothermia)

(BODY TEMPERATURE, bypothermia, eff. on alloxan diabetes)

KARAJOVIC, D.; DANILOVIC, V.; VERBIC, N.; DORDEVIC, V.; POPOVIC, D.; MILOSAVLJEVIC, Z.; DORDEVIC, S.; SIAVKOVIC, V.; SAVIC, D.; MALESEVIC, L.

Studies on allergy in cement industry workers. Acts med. iugosl. 13 no.3:339-345 59.

1. Klinisches Zentrum für professionale Krankheiten der Medizinischen Fakultat in Belgrad.

(ALLERGY etiol.)

(OCCUPATIONAL DISEASES etiol.)

MILOSAVIJEVIC, Z., dr.; TERZIC, Lj., dr.; MILOSAVIJEVIC, J., dr.

Presentation of a case of acute lesions in a caisson worker. Glas. hig. inst. 10 no.3/4:25-28 J1-D *61.

1. Dispanzer sa medicinu rada - Novi Sad.

(DECOMPRESSION SICKNESS case reports)

YUGOSIAVIA

MILOSAVLJEVIC, J., Z. MILOSAVLJEVIC, and Lj. PETROVIC, Labor Medicine Dispensary (Dispanzer za Medicinu Rada) and Medical Research Institute of the Vojvodina (Institut za Medicinska Istrazivanja APV), Novi Sad.

"A Contribution to Laboratory and Experimental Research into the Caisson Syndrome."

Belgrade, Glasnik Zavoda za Zdravstvenu Zastitu NK Srbije, Vol 11, Nos 3-4, 1902, pp 45-50.

Abstract: /Authors' English summary modified There was a significant difference in the increase in the number of thrombocytes in workers who had been been working in the field of caissons at least one year and in workers elsewhere employed. No data of importance were derived from other laboratory analysis. Tests on rabbits were insufficient for definite conclusions. The authors advise a thrombocyte count during the periodic checkups of caisson workers. Four tables, Western references.

GRAOVAC-LEPOSAVIC, Li.; MILOSAVLIEVIC, Z.; ILIC, V.

Liver function tests in workers exposed to trichloroethylene. Arn. hig. rada 15 no.1:93-97 164.

l. Institut za medicinu rada Socijalisticke Republike Srbije, Beograd.

HEMEHERG, Dorde, sanitetski pukovnik docent dr.; MORELJ, Marjan, generalmajor sanitetske sluzbe profesor dr.; MITIC, Aleksandar, sanitetski pukovnik dr.; MARINCEVIC, Predrag, sanitetski pukovnik dr.; MOSTIC, Dobrivoj, sanitetski kapetan I klase dr.; MILOSAVLJEVIC, Zivadin, sanitetski kapetan dr.; JOKSIMOVIC, Petar, sanitetski porucnik dr.; MILOSAVLJEVIC, Toma, sanitetski porucnik dr.

Controlled field experiment of chemoprophylaxis against influenza by flumidin in a unit of the Yugoslav People's Army. Vojnosanit. pregl. 22 no.12:754-757 D '65.

l. Vojnomedicinska akademija u Beogradu; Higijenski zavod; Klinika za uho-grlo-nos.

MILOSEVIC, M.P.; TERRIC, M.: H. DEAVLJEVIC-ANDELKOVIC, D.


Effect of diethylaminoethylester of phenyl-diallylanetic acid (CFT 1201) on the toxicity of ontamethyl pyrophosphoramida (OMPA). Acta med. Iugosl. 18 no.1:27-35 *64

1. Institute of Pharmacology, Medical Faculty, Beograd.

"APPROVED FOR RELEASE: Monday, July 31, 2000

CIA-RDP86-00513R001134320

	M14	osavyc.W	C, AJOVANOVIC	, M		
3.		slav Con	w forms of ascorbic scid. savijevic-jovanovic (Inst. a). Congr. inlers: blockim. r., Brussele 1955, 6(in Frenci effects of off in the	Résumés communs.		٠.
		ascor gena titra	ble acid (I) were detd, in he ted I appears to exist at the ions with 2 f-dichloroladars	uffered soins. Deliydro lowest pil values. I		
		with pH theorem	2 ene-diol groups. As to optalles give the lowest [a], it y of an acid with 2 ene-diol. At higher pH values, exact tallon with KMOO more than the second testing the second testing with KMOO more than the second testing with KMOO more than the second testing the second testing testing the second testing testi	presence of substance ical rotation, the lowes to values confirming the groups and no asym. C tly 1 equiv. of II reacts		
		hydro	d, which may be explained ited I. The [a] values are yed at low pli, levels.			
*						




MILOSERDIN, M.M. On the application of formulas and conclusions from the work of Engineer B.W.Edubinov to the calculation and analysis of concrete systems of extractors. Ugol' 29 no.7:34-36 Jl *54. (MERA 7:7) 1. Giprouglemash. (Coal-mining machinery) (Liubinov, B.E)

IVANOV, Konstantin Ivanovich; MILOSERDIN, Hikhail Mikhaylovich, SHPIL*HERG, Iesif Leybevich; ASTAKHOV, A.V., redakter; PROZOBOVSKAYA, V.L., tekhnicheskiy redaktor.

[The M-32 mechanised screw-jack mine prop for medium thick coal seams] Mekhanisirevannaia pesadochnaia krep' M-32 dlia plastev sredmei meshchnesti. Moskva, Ugletekhisdat, 1956. 16 p. (MIRA 9:6) (Mine timbering)

"APPROVED FOR RELEASE: Monday, July 31, 2000 CIA-RDP86-00513R001134320



MIL'SHTEYN, V.N.; MILOSERDIN, Yu. V.

An instrument for the experimental determination of phase diagrams of vibrating systems. Sbor.nauch.rab. Mekh.inst. no.3:90-93 '52. (Vibration)

(NIRA 8:3)

112-57-7-14751

Translation from: Referativnyy zhurnal, Elektrotekhnika, 1957, Nr 7, p 140 (USSR)

AUTHOR: Miloserdin, Yu. V., Kul'bakh, A. A., and Vinogradov, D. K.

TITLE: Outfit for Measuring Shock and Dynamic Loads
(Ustanovka dlya izmereniya udarnykh i dinamicheskikh nagruzok)

PERIODICAL: Sb. statey Vses. zaoch. politekh. in-ta (Collection of Articles of the All-Union Correspondence Polytechnic Institute), 1956, Nr 13, pp 19-25

ABSTRACT: A method of measuring the quickly alternating and shock loads that act on two rotating, contacting disks is described. The shock load, with an estimated amplitude of 1,000 kg and a frequency of 16 2/3 cps, is created by a hydropneumatic device and is applied to a moving holder whose shaft carries one of the disks, mounted on bearings. The degree of shaft sag is measured by a transformer-type inductive pickup. An electronic circuit is described that comprises an oscillator, an amplifier with a phase-sensitive detector, and an output stage of a balanced DC amplifier. The inductive pickups were statically calibrated in a 0-300-kg range by means of both an output milliammeter and an

Card 1/2

112-57-7-14751

Outfit for Measuring Shock and Dynamic Loads

oscillograph. Methods of measuring dynamic loads are described, and it is pointed out that the amplitude measured by the above outfit is considerably smaller than that calculated on the assumption that transients are negligible.

Ξ

E.A.G.

Card 2/2

"APPROVED FOR RELEASE: Monday, July 31, 2000

CIA-RDP86-00513R001134320

MILOSERDIN, YU.V.

IANIH, Yu.G.; MILOSERDIN, Tu.V.

Precise kinematic calculation of driving transmissions. Ism. tekh.

No.2:28-32 Mr-Ap 158.

(Power transmission)

2 ----

SOV/146-58-5-14/24

12(2) AUTHOR: Miloserdin, Yu.V., Candidate of Technical Sciences, and Lakin, Yu.G., Engineer

TITLE:

Underlying Method to Determine Efficiency of Spatial

Transmission Systems

PERIODICAL:

Izvestiya vysshikh uchebnykh zavedeniy - Priborostroy-

eniye, 1958, Nr 5, pp 94-99 (USSR)

ABSTRACT:

The article contains a method of calculating exactly the efficiency of several spatial transmission systems, which have a particularly complicated kinematic layouts and whose efficiency can therefore not be calcu-lated adequately with the known methods. As example for such spatial mechanisms for transmitting energy, the authors list the spatial lever and cam mechanisms. The article shows formulae for calculating the efficiency. The equations 2-5 serve to calculate this force. Formula 6 serves to calculate the value of the relative dislocation. The formulae 11 and 12 are used to determine the momentous influence of the KPD. Figures 4 and 5 show the influence of the co-

Card 1/2

Underlying Method to Determine Effeciency of Spatial Transmission Systems

efficient A p. There are 2 diagrams, 3 graphs and 2 Soviet references.

ASSOCIATION: Moskovskiy inzhenerno-fizicheskiy institut (Moscow Engineering-Physics Institute)

Card 2/2

MILOSERDIN, Yu.V., dotsent, kand.tekhn.nauk; LAKIN, Yu.G., assistent;

BIOSERI'D, B.A., starshiy prepodavatel'.

Mew methods for testing instrument springs. Isv.vyg.ucheb.sav.;
prib. no.3:98-105 '59 (MIRA 13:4)

1. Moskovskiy inshenerno-fisicheskiy institut. Rekomendovana kafedroy "Detali mashin i priborov".

(Springs (Mechanism)--Testing)

45250

1. 2000

S/756/61/000/001/004/004

AUTHORS: Blosfel'd, B.A., Miloserdin, Yu.V., Lakin, Yu.G.

TITLE: Device for the testing of precision spiral springs.

SOURCE: Moscow. Inzhenerno-fizicheskiy institut. Metody ispytaniy detaley i

materialov mashin i priborov. no.1. 1961, 47-57.

Testing of spiral springs consists in measuring the angular deformation TEXT: (angle of winding) as a function of the external moment applied. Errors arise in the measurement of both the angle and the moment. In many instrument applications an angular accuracy of $\pm 1^{\circ}$ and a moment accuracy of 0.1% of their maximal values are required. Tests must encompass a broad temperature (T) range. A critical analysis of eight existing testing methods is made and its results are summarized in a fullpage table. Among the angle-measuring devices a divider head with a 1' division and a measuring error of 10-30" appears preferable. Moment measurements are either absolute (obtained by measurement of the forces applied) or relative (comparison with plane, helical, or spiral standard springs). Absolute moment measurements are classified into scale-reading and null methods. A full-page pictorial summary shows the various absolute- and relative-measurement methods; a full-page table summarizes the numerical characteristics of the absolute methods. It is shown that the accuracy required for the testing of spiral springs is met only by levers of the first kind. A table compares the accuries of various types of hinge support. The knifeedge support is preferred. A full-page figure shows an exploded perspective view Card 1/2

Device for the testing of precision spiral springs.

\$/756/61/000/001/004/004

of the new testing device, suitable for tests from -70 to +100°C. The device consists of (I) the moment-measuring beam balance, (II) the spring holder, (III) the optical angle-measuring head, (IV) the temperature chamber, and (V) the scale-reading optics. (I) is a knife-edge-supported balance beam with equal balance arms and two weight pans; an oil damper consisting of a paddle in an oil-filled trough is provided. A long pointer scans a scale. A shaft extension, coaxial with the hinge support, passes from the balance beam to the spring holder (II). (III) comprises (a) a knobdriven gear train which twists the spring-winding stem, (b) a finely-divided follower glass disk, and (c) a scale-reading microscope. The spring to be tested is fastened at one end to the spring-holder shaft and at the other end to the spring-winding stem. The spring holder is placed within a suitably-shaped Dewar vessel (IV) with a cavity for the spring holder (II). (V) consists of a light source, a condenser, a target contained in an aperture in the balance pointer, a lens, and a screen. An auxiliary pointer scale serves for approximate readings; the actual reading is made on the null of the optical system. A full-page summary of the numerical characteristics of the device is given, also a general-view photograph. There are 4 figures, 3 numbered and l unnumbered tables, and 5 Russian-language Soviet references.

X

ASSOCIATION: None given.

Card 2/2

MILOSERDIN, Yu.V.; LAKIN, Yu.G.; BLOSFEL'D, B.A.

Device for testing helical and flat springs for instruments.

Metod.isp.det.i mat.mash.i prib. no.1:58-65 '61. (MIRA 15:4)

(Springs (Mechanism)—Testing) (Testing machines)

MILOSERDIN, Yu.V.; BLOSFEL'D, B.A.; LAKIN, Yu.G.

Kinds of elastic imperfections of instrument springs. Metod.
isp.det.mash.i prib. no.2229-35 '62. (MIRA 16:4)
(Springs (Mechanism))

S/756/62/000/002/003/004 A004/A126

AUTHORS: Miloserdin, Yu. V., Blosfel'd, B. A., Lakin, Yu. G.,

TITLE: Reducing elastic imperfections of instrument springs

SOURCE: Moscow, Inzhenerno-fizicheskiy institut, Metody ispytaniy detaley

mashin i priborov. no. 2, 1962, 36 - 42

TEXT: Investigations were carried out at the Moskovskiy inzhenerno-fizicheskiy institut (Moscow Engineering Physics Institute) to study the effectiveness of various stabilizing methods in reducing elastic imperfections of springs. Tension and compression-type helical and flat springs made of the steel grades OBC (OVS), Y10A (U10A) and 1 X 18 H 9 T (1Kh18N9T), with and without coating (oxide coating and cadmium plating) were tested in static, temperature and dynamic stabilizing processes. As a result of the tests it was found that static stabilizing, instead of reducing the elastic hysteresis, increased it by a factor of 1.2 - 2.4. Temperature stabilizing treatment by heating the springs up to +150°C or cooling them down to -196°C proved to be only of little efficiency. Dynamic stabilizing at normal temperatures ensured a reduction of the elastic hysteresis by a mean factor

Card 1/2

Reducing elastic imperfections of instrument springs S/756/62/000/002/003/004 A004/A126

of 2. The authors point out the expediency of carrying out additional studies to find dynamic stabilizing conditions that would even more reduce the elastic hysteresis. There are 4 figures and 2 tables.

Card 2/2

LAKIN, Yu.G.; BLOSFEL'D, B.A.; MILOSERDIN, Yu.V.

Effect of rigidity on the hysteresis of instrument springs.

Metod.isp.det.mash.i prib. no.2:43-50 '62. (MIRA 16:4)

(Springs (Mechanism)—Testing)

S/756/62/000/002/004/004 A004/A126

AUTHORS:

Blosfel'd, B. A., Miloserdin, Yu. V., Lakin, Yu. G.

TITLE:

The effect of various operating factors on the elastic hysteresis

of instrument springs

SOURCE:

Moscow. Inzhenerno-fizicheskiy institut. Metody ispytaniy detaley

mashin i priborov. no. 2, 1962, 51 - 63

TEXT: The present article analyzes the results of investigations carried out by the authors to study the elastic hysteresis of different materials depending on the stress conditions and test temperatures of helical and flat instrument springs made of OBC(OVS), 1 X18 H9T (1Kh18N9T) and Y10 A (U10A) steel. It was found that the hysteresis magnitude of the tested springs depends on material, temperature, stress conditions, actual rigidity and kind of coating. Of the materials studied, the highest hysteresis value λ could be observed with flat springs of U10A and helical springs of 1Kh18N9T grade steel, while the hysteresis was lowest with springs of oxide-coated OVS material. The hysteresis values are given. The temperature conditions affect the initial hysteresis magnitude. Increasing the maximum stress and the holding time of springs at $\pm P_{\text{max}}$ leads to a Card 1/2